

Case Creation Option

update
rest
search

Case "RestrictiveControl" already exists. Please overwrite it or cancel the operation.

The Contents of Case "RestrictiveControl"

Qnum	Query	DB Name	Thesaurus	Operator	Plural
Q1	(transmit\$4 or send\$4 or giv\$4 or forward\$4) near5(data or information or packets)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q2	(transmit\$4 or forward\$4 or send\$4)near5 (encrypt\$4 or mask\$4 or scrambl\$4)near5 (packet\$2 or information or data)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q3	(transmit\$4 or forward\$4 or send\$4)near5 (encrypt\$4 or mask\$4 or scrambl\$4)with (packet\$2 or information or data)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q4	(first near4 channel or landline or telephone) and Q1 and Q3	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q5	(transmit\$4 or forward\$4 or send\$4)near5 (restrictive near4 control near4 information or	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES

	session near4 key or secret near4 key)				
Q6	Q4 and Q5	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q7	(transmit\$4 or send\$4 or giv\$4 or forward\$4) near5(encrypt\$4 or mask\$4 or scrambl\$4)with (data or information or packets)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q8	(transmit\$4 or send\$4 or giv\$4 or forward\$4) near5 (encrypt\$4)with (first near4 channel or channel)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q9	Q7 and Q8	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q10	(first and second)near5 (channel) and Q5 and Q9	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q11	(second or satellite or cable or broadband) near5(channel)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q12	Q11 and Q9	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q13	713/160.ccls.	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q14	713/161.ccls.	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q15	713/162.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
	713/163.ccls.and				

Q16	(encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q17	380/200.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q18	380/201.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q19	380/211.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q20	380/217.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q21	380/239.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES

Q22	726/2.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q23	726/3.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q24	726/13.ccls.and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q25	Kazuhiro near Hara.in. and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q26	Sony.as. and (encrypt\$4 or scrambl\$4 or mask\$4)near5 (data or information or packet\$2 or message)and (first and second)near4 (channel)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q27	Sony.as. and (encrypt\$4)with (data)and(first	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES

	and second) near4(channel)				
Q28	(transmit\$4) near5(data)with (receiver or receiv\$4)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q29	(transmit\$4) near5 (encrypt\$4)with (data)with(first near4 channel or channel)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q30	Q28 and Q29	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q31	(transmit\$4) near5(encrypt\$4 near3 key) and (receiv\$4)near5 (decrypt\$4 near4 key)	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q32	(session near4 key)with (encrypt\$4 and decrypt\$4) and Q31	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
Q33	(updat\$4 or chang\$4)with (session near4 key) and Q32	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	None	OR	YES
